








Diagram



Rank

Minimum Role
Super Users [Authority: 0]
Members [Authority: 9999]
Supervisors [Authority: 4]

Example

UserGroup	Context	Resource [Group]	Element [Category]	Policy [Template]
 Air [Air Force, Navy, Center Command]	 Font line  Headquarter	1. Afganistan [Asia] 2. Iraq [Asia] 3. Darfur [Africa] 4. North Korea [Asia]	1. Allies [bilateral] 2. Enemies [bilateral] 3. UN [multi-nationals] 4. NATO [treaty-organization]	1. Make report [plan, desk] 2. Read report [observe, desk] 3. Make tactic [plan, desk] 4. Read tactic [observe, desk] 5. Give order [action, desk] 6. Follow order [action, desk]
 Land [Infantry, Center Command]				
 Water [Navy, Center Command]				
 Under water [Navy, Center Command]				


Role [Authority]

-  Private [9999]
-  Sergeant [8000]
-  Major [5000]
-  General [1]

User

  Plan, Action Asia	  Desk Africa	  Action Asia	  Desk Asia, Africa
Bart [Air Force, Navy] 	Hommer [Navy] 	Asterix [Infantry] 	Dart Vader [Center Command, Air Force, Infantry, Navy]    

Context



Default: mgr | web

Create new is to create a new context NAME only.



General Information

Key : registered context name
Description : [string]

Right Click Update Context is to apply detail settings



Context Settings

Context settings will override any System Settings with the same key.

Double Click to change the name or the value

Create New is like a **TV** for Context Settings, not the value itself

TV is Template Variable

Name:

Key:

Value:

Last modified:

Key : [string]
Name : [string]
Field Type : [Textfield | Textarea | Yes/No]
Namespace : [core | snippetname | componentname | pluginname]
Area Lexicon Entry : [string]
Value : [string]
Description : [string]



Access Permissions

Add Access Control is to create user group access to context

User group : [registered User Group]
Authority : [integer]
Access Policy : [registered Access Policy]


Default of Context: mgr

CONTEXT	USER GROUP	AUTHORITY	ACCESS POLICY
mgr	Administrator	0	Administrator
mgr	Author	9999	Resource

Default of Context: web

CONTEXT	USER GROUP	AUTHORITY	ACCESS POLICY
web	Administrator	0	Administrator

Access Control



User Groups

Default: Administrator

New user group is to create a new user group NAME only.



Right Click Update User Group



General Informations

Name : [string]
Parent Group : [options] whatever but the default admin group



Users

Usernames : [registered username]
Roles : [registered role name]

Add user to group is to add a user into the group



Context Access

Context : [registered context names]
Minimum Role : [registered role name]
Access Policy : [registered policy name]

Add context is to add user group access into the group



Resource Group Access

Resource Group : [string]
Minimum Role : [registered role name]
Access Policy : [registered policy name]
Context : [registered context name]

Add Resource group is to add resource group into the group



Element Category Access

Category : [string]
Minimum Role : [registered role name]
Access Policy : [registered policy name]
Context : [registered context name]

Add Category is to add element group into the group



Roles

Default: Super user | Member

Name : [string]
Description : [string]
Authority : [integer]

Create new is to create a new role NAME, Authority, Description.



Access Policies

Default: Resource | Administrator

Name : [string]
Description : [string]
Policy Template: [registered policy template]
Active Permissions: [number of enabled policies from the provided template]

Create Access Policies is to create a new access policy's NAME, Group, and Description.



Policy Template

Default: Resource | Administrator

Name : [string]
Description : [string]
Template Group : [registered group by MODx]
Permissions : [number of the template's permission]

Create Policy Template is to create a new policy template's NAME, Group, and Description.



Recommended:
 CA/RGA's new entry should be based on the default administrator policy (duplicate then edit it).

Policies

- about
- access_permissions
- actions
- change_password
- change_profile
- charsets
- class_map
- components
- content_types
- countries
- create
- credits
- customize_forms
- database
- database_truncate
- delete_category
- delete_chunk
- delete_context
- delete_document
- delete_eventlog
- delete_plugin
- delete_propertyset
- delete_snippet
- delete_template
- delete_tv
- delete_role
- delete_user
- directory_chmod
- directory_create
- directory_list
- directory_remove
- directory_update
- edit_category
- edit_chunk
- edit_context
- edit_document
- edit_locked
- edit_plugin
- edit_propertyset
- edit_role
- edit_snippet
- edit_template
- edit_tv
- edit_user
- element_tree
- empty_cache
- error_log_erase
- error_log_view
- export_static
- file_list
- file_manager
- file_remove
- file_tree
- file_update
- file_upload
- file_view
- flush_sessions
- frames
- help
- home
- import_static
- languages
- lexicons
- list
- load
- logout
- logs
- menus
- messages
- namespaces
- new_category
- new_chunk
- new_context
- new_document
- new_document_in_root
- new_plugin
- new_propertyset
- new_role
- new_snippet
- new_template
- new_tv
- new_user
- packages
- property_sets
- providers
- publish_document
- purge_deleted
- remove
- remove_locks
- resource_tree
- save
- save_category
- save_chunk
- save_context
- save_document
- save_plugin
- save_propertyset
- save_role
- save_snippet
- save_template
- save_tv
- save_user
- search
- settings
- steal_locks
- undelete_document
- unpublish_document
- unlock_element_properties
- view
- view_category
- view_chunk
- view_context
- view_document
- view_element
- view_eventlog
- view_offline
- view_plugin
- view_propertyset
- view_role
- view_snippet
- view_sysinfo
- view_template
- view_tv
- view_user
- view_unpublished
- workspaces

Policies [Administrator]

Context administration policy with all permissions.

- ✓ about
- ✓ access_permissions
- ✓ actions
- ✓ change_password
- ✓ change_profile
- ✓ charsets
- ✓ class_map
- ✓ components
- ✓ content_types
- ✓ countries
- ✓ create
- ✓ credits
- ✓ customize_forms
- ✓ database
- ✓ database_truncate
- ✓ delete_category
- ✓ delete_chunk
- ✓ delete_context
- ✓ delete_document
- ✓ delete_eventlog
- ✓ delete_plugin
- ✓ delete_propertyset
- ✓ delete_snippet
- ✓ delete_template
- ✓ delete_tv
- ✓ delete_role
- ✓ delete_user
- ✓ directory_chmod
- ✓ directory_create
- ✓ directory_list
- ✓ directory_remove
- ✓ directory_update
- ✓ edit_category
- ✓ edit_chunk
- ✓ edit_context
- ✓ edit_document
- ✓ edit_locked
- ✓ edit_plugin
- ✓ edit_propertyset
- ✓ edit_role
- ✓ edit_snippet
- ✓ edit_template
- ✓ edit_tv
- ✓ edit_user
- ✓ element_tree
- ✓ empty_cache
- ✓ error_log_erase
- ✓ error_log_view
- ✓ export_static
- ✓ file_list
- ✓ file_manager
- ✓ file_remove
- ✓ file_tree
- ✓ file_update
- ✓ file_upload
- ✓ file_view
- ✓ flush_sessions
- ✓ frames
- ✓ help
- ✓ home
- ✓ import_static
- ✓ languages
- ✓ lexicons
- ✓ list
- ✓ load
- ✓ logout
- ✓ logs
- ✓ menus
- ✓ messages
- ✓ namespaces
- ✓ new_category
- ✓ new_chunk
- ✓ new_context
- ✓ new_document
- ✓ new_document_in_root
- ✓ new_plugin
- ✓ new_propertyset
- ✓ new_role
- ✓ new_snippet
- ✓ new_template
- ✓ new_tv
- ✓ new_user
- ✓ packages
- ✓ property_sets
- ✓ providers
- ✓ publish_document
- ✓ purge_deleted
- ✓ remove
- ✓ remove_locks
- ✓ resource_tree
- ✓ save
- ✓ save_category
- ✓ save_chunk
- ✓ save_context
- ✓ save_document
- ✓ save_plugin
- ✓ save_propertyset
- ✓ save_role
- ✓ save_snippet
- ✓ save_template
- ✓ save_tv
- ✓ save_user
- ✓ search
- ✓ settings
- ✓ steal_locks
- ✓ undelete_document
- ✓ unpublish_document
- ✓ unlock_element_properties
- ✓ view
- ✓ view_category
- ✓ view_chunk
- ✓ view_context
- ✓ view_document
- ✓ view_element
- ✓ view_eventlog
- ✓ view_offline
- ✓ view_plugin
- ✓ view_propertyset
- ✓ view_role
- ✓ view_snippet
- ✓ view_sysinfo
- ✓ view_template
- ✓ view_tv
- ✓ view_user
- ✓ view_unpublished
- ✓ workspaces

Policies [Load Only]

A minimal policy with permission to load an object.

- about
- access_permissions
- actions
- change_password
- change_profile
- charsets
- class_map
- components
- content_types
- countries
- create
- credits
- customize_forms
- database
- database_truncate
- delete_category
- delete_chunk
- delete_context
- delete_document
- delete_eventlog
- delete_plugin
- delete_propertyset
- delete_snippet
- delete_template
- delete_tv
- delete_role
- delete_user
- directory_chmod
- directory_create
- directory_list
- directory_remove
- directory_update
- edit_category
- edit_chunk
- edit_context
- edit_document
- edit_locked
- edit_plugin
- edit_propertyset
- edit_role
- edit_snippet
- edit_template
- edit_tv
- edit_user
- element_tree
- empty_cache
- error_log_erase
- error_log_view
- export_static
- file_list
- file_manager
- file_remove
- file_tree
- file_update
- file_upload
- file_view
- flush_sessions
- frames
- help
- home
- import_static
- languages
- lexicons
- list
- load
- logout
- logs
- menus
- messages
- namespaces
- new_category
- new_chunk
- new_context
- new_document
- new_document_in_root
- new_plugin
- new_propertyset
- new_role
- new_snippet
- new_template
- new_tv
- new_user
- packages
- property_sets
- providers
- publish_document
- purge_deleted
- remove
- remove_locks
- resource_tree
- save
- save_category
- save_chunk
- save_context
- save_document
- save_plugin
- save_propertyset
- save_role
- save_snippet
- save_template
- save_tv
- save_user
- search
- settings
- steal_locks
- undelete_document
- unpublish_document
- unlock_element_properties
- view
- view_category
- view_chunk
- view_context
- view_document
- view_element
- view_eventlog
- view_offline
- view_plugin
- view_propertyset
- view_role
- view_snippet
- view_sysinfo
- view_template
- view_tv
- view_user
- view_unpublished
- workspaces

Policies [Load, List and View]

Provides load, list and view permissions only.

- about
- access_permissions
- actions
- change_password
- change_profile
- charsets
- class_map
- components
- content_types
- countries
- create
- credits
- customize_forms
- database
- database_truncate
- delete_category
- delete_chunk
- delete_context
- delete_document
- delete_eventlog
- delete_plugin
- delete_propertyset
- delete_snippet
- delete_template
- delete_tv
- delete_role
- delete_user
- directory_chmod
- directory_create
- directory_list
- directory_remove
- directory_update
- edit_category
- edit_chunk
- edit_context
- edit_document
- edit_locked
- edit_plugin
- edit_propertyset
- edit_role
- edit_snippet
- edit_template
- edit_tv
- edit_user
- element_tree
- empty_cache
- error_log_erase
- error_log_view
- export_static
- file_list
- file_manager
- file_remove
- file_tree
- file_update
- file_upload
- file_view
- flush_sessions
- frames
- help
- home
- import_static
- languages
- lexicons
- list
- load
- logout
- logs
- menus
- messages
- namespaces
- new_category
- new_chunk
- new_context
- new_document
- new_document_in_root
- new_plugin
- new_propertyset
- new_role
- new_snippet
- new_template
- new_tv
- new_user
- packages
- property_sets
- providers
- publish_document
- purge_deleted
- remove
- remove_locks
- resource_tree
- save
- save_category
- save_chunk
- save_context
- save_document
- save_plugin
- save_propertyset
- save_role
- save_snippet
- save_template
- save_tv
- save_user
- search
- settings
- steal_locks
- undelete_document
- unpublish_document
- unlock_element_properties
- view
- view_category
- view_chunk
- view_context
- view_document
- view_element
- view_eventlog
- view_offline
- view_plugin
- view_propertyset
- view_role
- view_snippet
- view_sysinfo
- view_template
- view_tv
- view_user
- view_unpublished
- workspaces

Policies [Object]

An Object policy with all permissions.

- about
- access_permissions
- actions
- change_password
- change_profile
- charsets
- class_map
- components
- content_types
- countries
- create
- credits
- customize_forms
- database
- database_truncate
- delete_category
- delete_chunk
- delete_context
- delete_document
- delete_eventlog
- delete_plugin
- delete_propertyset
- delete_snippet
- delete_template
- delete_tv
- delete_role
- delete_user
- directory_chmod
- directory_create
- directory_list
- directory_remove
- directory_update
- edit_category
- edit_chunk
- edit_context
- edit_document
- edit_locked
- edit_plugin
- edit_propertyset
- edit_role
- edit_snippet
- edit_template
- edit_tv
- edit_user
- element_tree
- empty_cache
- error_log_erase
- error_log_view
- export_static
- file_list
- file_manager
- file_remove
- file_tree
- file_update
- file_upload
- file_view
- flush_sessions
- frames
- help
- home
- import_static
- languages
- lexicons
- list
- load
- logout
- logs
- menus
- messages
- namespaces
- new_category
- new_chunk
- new_context
- new_document
- new_document_in_root
- new_plugin
- new_propertyset
- new_role
- new_snippet
- new_template
- new_tv
- new_user
- packages
- property_sets
- providers
- publish_document
- purge_deleted
- remove
- remove_locks
- resource_tree
- save
- save_category
- save_chunk
- save_context
- save_document
- save_plugin
- save_propertyset
- save_role
- save_snippet
- save_template
- save_tv
- save_user
- search
- settings
- steal_locks
- undelete_document
- unpublish_document
- unlock_element_properties
- view
- view_category
- view_chunk
- view_context
- view_document
- view_element
- view_eventlog
- view_offline
- view_plugin
- view_propertyset
- view_role
- view_snippet
- view_sysinfo
- view_template
- view_tv
- view_user
- view_unpublished
- workspaces

Policies [Element]

MODx Element policy with all attributes.

- about
- access_permissions
- actions
- change_password
- change_profile
- charsets
- class_map
- components
- content_types
- countries
- create
- credits
- customize_forms
- database
- database_truncate
- delete_category
- delete_chunk
- delete_context
- delete_document
- delete_eventlog
- delete_plugin
- delete_propertyset
- delete_snippet
- delete_template
- delete_tv
- delete_role
- delete_user
- directory_chmod
- directory_create
- directory_list
- directory_remove
- directory_update
- edit_category
- edit_chunk
- edit_context
- edit_document
- edit_locked
- edit_plugin
- edit_propertyset
- edit_role
- edit_snippet
- edit_template
- edit_tv
- edit_user
- element_tree
- empty_cache
- error_log_erase
- error_log_view
- export_static
- file_list
- file_manager
- file_remove
- file_tree
- file_update
- file_upload
- file_view
- flush_sessions
- frames
- help
- home
- import_static
- languages
- lexicons
- list
- load
- logout
- logs
- menus
- messages
- namespaces
- new_category
- new_chunk
- new_context
- new_document
- new_document_in_root
- new_plugin
- new_propertyset
- new_role
- new_snippet
- new_template
- new_tv
- new_user
- packages
- property_sets
- providers
- publish_document
- purge_deleted
- remove
- remove_locks
- resource_tree
- save
- save_category
- save_chunk
- save_context
- save_document
- save_plugin
- save_propertyset
- save_role
- save_snippet
- save_template
- save_tv
- save_user
- search
- settings
- steal_locks
- undelete_document
- unpublish_document
- unlock_element_properties
- view
- view_category
- view_chunk
- view_context
- view_document
- view_element
- view_eventlog
- view_offline
- view_plugin
- view_propertyset
- view_role
- view_snippet
- view_sysinfo
- view_template
- view_tv
- view_user
- view_unpublished
- workspaces

- add_children
- copy
- delete

Policies [Content Editor]

Context administration policy with limited, content-editing related Permissions.

- about
- access_permissions
- actions
- change_password
- change_profile
- charsets
- class_map
- components
- content_types
- countries
- create
- credits
- customize_forms
- database
- database_truncate
- delete_category
- delete_chunk
- delete_context
- delete_document
- delete_eventlog
- delete_plugin
- delete_propertyset
- delete_snippet
- delete_template
- delete_tv
- delete_role
- delete_user
- directory_chmod
- directory_create
- directory_list
- directory_remove
- directory_update
- edit_category
- edit_chunk
- edit_context
- edit_document
- edit_locked
- edit_plugin
- edit_propertyset
- edit_role
- edit_snippet
- edit_template
- edit_tv
- edit_user
- element_tree
- empty_cache
- error_log_erase
- error_log_view
- export_static
- file_list
- file_manager
- file_remove
- file_tree
- file_update
- file_upload
- file_view
- flush_sessions
- frames
- help
- home
- import_static
- languages
- lexicons
- list
- load
- logout
- logs
- menus
- messages
- namespaces
- new_category
- new_chunk
- new_context
- new_document
- new_document_in_root
- new_plugin
- new_propertyset
- new_role
- new_snippet
- new_template
- new_tv
- new_user
- packages
- property_sets
- providers
- publish_document
- purge_deleted
- remove
- remove_locks
- resource_tree
- save
- save_category
- save_chunk
- save_context
- save_document
- save_plugin
- save_propertyset
- save_role
- save_snippet
- save_template
- save_tv
- save_user
- search
- settings
- steal_locks
- undelete_document
- unpublish_document
- unlock_element_properties
- view
- view_category
- view_chunk
- view_context
- view_document
- view_element
- view_eventlog
- view_offline
- view_plugin
- view_propertyset
- view_role
- view_snippet
- view_sysinfo
- view_template
- view_tv
- view_user
- view_unpublished
- workspaces

Resource Group



You can then drag the Resources from the right tree directly into Resource Groups in the left tree.

You can also edit the Resource Groups a Resource is assigned to directly within a Resource's editing page.

